


PCT**INTERNATIONAL PRELIMINARY EXAMINATION REPORT**

(PCT Article 36 and Rule 70)

14

Applicant's or agent's file reference 53.70681/001	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/EP00/07204	International filing date (day/month/year) 26/07/2000	Priority date (day/month/year) 27/07/1999
International Patent Classification (IPC) or national classification and IPC A61F2/46		
Applicant SUMMIT MEDICAL LIMITED et al.		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.



2. This REPORT consists of a total of 4 sheets, including this cover sheet.

- ☐ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☐ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☐ Certain documents cited
- VII ☒ Certain defects in the international application
- VIII ☐ Certain observations on the international application

Date of submission of the demand 09/02/2001	Date of completion of this report 15.11.2001
Name and mailing address of the international preliminary examining authority:  European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465	Authorized officer Hedels, B Telephone No. +49 89 2399 2329 

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/EP00/07204

I. Basis of the report

1. With regard to the **elements** of the international application (*Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)*):

Description, pages:

1-8 as originally filed

Claims, No.:

1-10 as originally filed

Drawings, sheets:

1/3-3/3 as originally filed

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language: , which is:

- ☐ the language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).
- ☐ the language of publication of the international application (under Rule 48.3(b)).
- ☐ the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).

3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

- ☐ contained in the international application in written form.
- ☐ filed together with the international application in computer readable form.
- ☐ furnished subsequently to this Authority in written form.
- ☐ furnished subsequently to this Authority in computer readable form.
- ☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
- ☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. The amendments have resulted in the cancellation of:

- ☐ the description, pages:
- ☐ the claims, Nos.:

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/EP00/07204

☐ the drawings, sheets:

5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Yes:	Claims	1-10
	No:	Claims	
Inventive step (IS)	Yes:	Claims	1-10
	No:	Claims	
Industrial applicability (IA)	Yes:	Claims	1-10
	No:	Claims	

2. Citations and explanations
see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:
see separate sheet

1. An apparatus for containing and mixing orthopaedic cement comprising an outer housing defining a mixing chamber and an inner housing containing the cement prior to mixing, is generally known (see page 4, paragraphs 1 and 2 of the description).

The problem of the known device was that during transportation, the cement powder adheres to internal surface of the mixing chamber such that when a liquid monomer is introduced for mixing, some powder remains unmixed due to the monomer not wetting all of the wall surface. Thus, dry spots occur resulting in brittle cement which has adverse consequences.

This problem is solved by the features of claim 1 that the inner housing is removable from the outer housing such that when the inner housing is lifted away from the base of the outer housing, the cement drops out of the inner housing and remains in the mixing chamber.

These features are novel and they cannot be derived in an obvious manner from the cited documents.

Moreover, such an apparatus is industrially applicable such that all the requirements of Art. 33(2)-(4) PCT are met.

2. The dependent claims 2-9 define particular embodiments of the invention according to claim 1. Thus, these claims also meet the requirements of Art. 33(2)-(4) PCT.

3. The arguments set out above under item 1. apply to the method defined in claim 10 *mutatis mutandis*.

4. The independent claims 1 and 10 should have been worded in the two-part form incorporating in their pre-characterising portion the features known from the prior art mentioned in the description (Rule 6.3 (b)).

5. Reference signs should have been used throughout the claims (Rule 6.2 b)).

PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 53.70681/001	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. PCT/EP 00/ 07204	International filing date (day/month/year) 26/07/2000	(Earliest) Priority Date (day/month/year) 27/07/1999
Applicant SUMMIT MEDICAL LTD.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 4 sheets.



It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.



the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :



contained in the international application in written form.



filed together with the international application in computer readable form.



furnished subsequently to this Authority in written form.



furnished subsequently to this Authority in computer readable form.



the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.



the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

4. With regard to the **title**,



the text is approved as submitted by the applicant.



the text has been established by this Authority to read as follows:

5. With regard to the **abstract**,



the text is approved as submitted by the applicant.



the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.



as suggested by the applicant.



because the applicant failed to suggest a figure.



because this figure better characterizes the invention.

1



None of the figures.

Box III TEXT OF THE ABSTRACT (Continuation of item 5 of the first sheet)

The invention discloses a pre-filled orthopaedic cement container in which the cement (4) can also be mixed. The container comprises an outer housing (3) defining the mixing chamber (1) and an inner housing (2) containing the cement (4) prior to mixing. The inner housing (2) is removable, prior to mixing, in such a way that the cement powder (4) remains in the mixing chamber (1), for mixing.

INTERNATIONAL SEARCH REPORT

International Application No

EP 00/07204

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 A61F2/46 B01F13/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 397 589 A (WOLFF & KAABER) 14 November 1990 (1990-11-14)	1,5,10
A	the whole document ---	2,7
Y	WO 87 05492 A (DRAENERT) 24 September 1987 (1987-09-24)	1,5,10
A	the whole document ---	7
A	US 4 015 945 A (FRANKEL) 5 April 1977 (1977-04-05)	1,8-10
A	the whole document ---	
A	EP 0 178 658 A (MIT AB) 23 April 1986 (1986-04-23)	3,4,7,8
	the whole document ---	

	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

G document member of the same patent family

Date of the actual completion of the international search

12 January 2001

Date of mailing of the international search report

18/01/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Klein, C

INTERNATIONAL SEARCH REPORT

International Application No

P/EP 00/07204

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 95 22402 A (SUMMIT MEDICAL) 24 August 1995 (1995-08-24) cited in the application the whole document ----	7
A	WO 97 18031 A (CEMVAC SYSTEM) 22 May 1997 (1997-05-22) the whole document ----	7,9
A	US 4 185 072 A (PUDEBBAUGH) 22 January 1980 (1980-01-22) the whole document ----	8,9
A	DE 36 40 279 A (MIT AB) 25 June 1987 (1987-06-25) ----	
A	WO 93 10892 A (SUMMIT MEDICAL) 10 June 1993 (1993-06-10) cited in the application -----	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

P/EP 00/07204

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 397589	A	14-11-1990	AT 101811 T	15-03-1994
			AU 627324 B	20-08-1992
			AU 5739690 A	29-11-1990
			BR 9007367 A	03-03-1992
			CA 2064215 A	13-11-1990
			DE 69006771 D	31-03-1994
			DE 69006771 T	23-06-1994
			WO 9013355 A	15-11-1990
			DK 397589 T	27-06-1994
			ES 2049959 T	01-05-1994
			HU 208927 B	28-02-1994
			IL 94311 A	31-07-1994
			JP 4507366 T	24-12-1992
			KR 9501384 B	18-02-1995
			NO 914408 A	11-11-1991
			NZ 233584 A	26-05-1992
			PT 94012 A	28-02-1992
			US 5114240 A	19-05-1992
WO 8705492	A	24-09-1987	DE 3609672 A	24-09-1987
			AT 65689 T	15-08-1991
			AT 89993 T	15-06-1993
			AT 180656 T	15-06-1999
			DE 3752279 D	08-07-1999
			DE 3771820 D	05-09-1991
			DE 3786049 D	08-07-1993
			WO 8705491 A	24-09-1987
			EP 0262185 A	06-04-1988
			EP 0261182 A	30-03-1988
			EP 0493363 A	01-07-1992
			JP 7075613 B	16-08-1995
			JP 63502882 T	27-10-1988
			JP 2537530 B	25-09-1996
			JP 63502883 T	27-10-1988
			US 4966601 A	30-10-1990
			US 5015101 A	14-05-1991
US 4015945	A	05-04-1977	CA 1045113 A	26-12-1978
EP 178658	A	23-04-1986	SE 450545 B	06-07-1987
			AT 88077 T	15-04-1993
			AT 148331 T	15-02-1997
			DE 3587262 A	19-05-1993
			DE 3587262 T	25-11-1993
			DE 3588140 D	13-03-1997
			DE 3588140 T	21-08-1997
			EP 0528447 A	24-02-1993
			JP 1841991 C	12-05-1994
			JP 5052222 B	04-08-1993
			JP 61098261 A	16-05-1986
			SE 8405232 A	20-04-1986
			US 4721390 A	26-01-1988
WO 9522402	A	24-08-1995	AU 679335 B	26-06-1997
			AU 1713195 A	04-09-1995
			CA 2183660 A	24-08-1995
			DE 69505356 D	19-11-1998
			DE 69505356 T	06-05-1999

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

EP 00/07204

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9522402 A		EP 0744991 A ES 2123958 T GB 2301045 A,B JP 9511438 T US 5842785 A	04-12-1996 16-01-1999 27-11-1996 18-11-1997 01-12-1998
WO 9718031 A	22-05-1997	AU 7659896 A EP 1005900 A EP 1016452 A EP 1005901 A EP 0861117 A	05-06-1997 07-06-2000 05-07-2000 07-06-2000 02-09-1998
US 4185072 A	22-01-1980	CA 1100940 A	12-05-1981
DE 3640279 A	25-06-1987	SE 447785 B US 4758096 A	15-12-1986 19-07-1988
WO 9310892 A	10-06-1993	AU 656446 B AU 3090092 A CA 2125165 A DE 69221636 D DE 69221636 T EP 0616552 A ES 2107556 T GB 2276560 A,B JP 7506288 T US 5494349 A	02-02-1995 28-06-1993 10-06-1993 18-09-1997 18-12-1997 28-09-1994 01-12-1997 05-10-1994 13-07-1995 27-02-1996

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
1 February 2001 (01.02.2001)

PCT

(10) International Publication Number
WO 01/06963 A2

- (51) International Patent Classification⁷: **A61F 2/46**
- (21) International Application Number: **PCT/EP00/07204**
- (22) International Filing Date: **26 July 2000 (26.07.2000)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
9917624.0 **27 July 1999 (27.07.1999)** **GB**
- (71) Applicant (for all designated States except US): **SUMMIT MEDICAL LTD.** [GB/GB]; Industrial Park, Bourton-on-the-Water, Gloucestershire GL54 2HQ (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **FOSTER, David** [GB/GB]; 49 Oxford Street, Woodstock OX20 1TJ (GB). **JONES, Anthony** [GB/GB]; 22, Bourton Road, Abingdon, Oxon OX14 1LF (GB). **EVELEIGH, Rebecca** [GB/GB]; 10 Stow Court, Gloucester Road, Cheltenham GL51 6ND (GB).
- (74) Agent: **HUGHES, Andrea**; Frank B. Dehn & Co., 179 Queen Victoria Street, London EC4V 4EL (GB).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KR (utility model), KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: **ORTHOPAEDIC BONE CEMENT MIXING CONTAINER**



(57) Abstract: The invention discloses a pre-filled orthopaedic cement container in which the cement can also be mixed. The container comprises an outer housing defining the mixing chamber and an inner housing containing the cement prior to mixing. The inner housing is removable, prior to mixing, in such a way that the cement powder remains in the mixing chamber, for mixing.

WO 01/06963 A2

Orthopaedic Bone Cement
Mixing Container

5 This invention relates to a container in which
orthopaedic bone cement is mixed.

Orthopaedic bone cement is used throughout the world to secure hip, knee and other metallic prostheses in an appropriate anatomical position.

10 Many different systems are available for mixing
orthopaedic bone cement and the type of apparatus
selected will depend on the personal preferences of the
doctor or nurse mixing the cement, as well as the amount
of cement being mixed and the type of materials being
used.

15 Essentially, orthopaedic cement is made up of a
powder component, e. g. polymethylmethacrylate powder,
and a monomer, eg. g. methylmethacrylate monomer liquid,
generally provided in an ampoule which is broken and
added to the powder. The two components are then
20 thoroughly mixed to provide a malleable cement which can
be manipulated and applied to the appropriate bone
parts, during surgery.

In order to avoid the cement becoming brittle, it
is essential that the two components are very thoroughly
25 mixed together and no 'dry' or 'dead' spots remain.
Furthermore, as most cements set fairly quickly, it is
important that the mixing can be quickly and easily
carried out. This is, also, of course important as
surgery should be carried out as quickly as possible for
30 the comfort and safety of the patient.

Originally, the cement components were mixed, by
hand, using a bowl and spatula. A theatre nurse would
mix the appropriate quantities of the two components in
the bowl and the physician would then take some of the
35 mixed cement and mould it to the required shape, before
inserting it into a preformed cavity or applying it to a
resected bony surface where the prosthesis is to be

positioned. Cement may either be applied by hand or may be put into a syringe and applied thereby.

Although mixing in this way is straightforward and convenient, it can have drawbacks.

5 Firstly, free methylmethacrylate fumes are emitted from the mixture. It is desirable to remove these fumes, or prevent them from escaping into the atmosphere, since they have an unpleasant odour and may be harmful to operating room and personnel. The fumes
10 are known to cause nausea and giddiness and are generally objectionable, particularly to the nurses who actually carry out the mixing.

 Secondly, a very high mixing efficiency is required to produce a homogenous cement material. During the
15 mixing process, air is naturally introduced into the mixture since air is inherently existent within the powder and also in and around the mixing vessel. Air bubbles are also produced by the 'boiling off' of monomer which occurs during the mixing process. The
20 introduction of air produces a weak cement and, since the joint must usually support a heavy load, it is important to reduce the amount of air in the mixture as much as possible in order to improve the mechanical strength of the cement material.

25 Furthermore, this mixing process can be slow and result in the cement beginning to dry out before it has been used and can require the patient to be on the operating table longer than desirable. Where particularly viscous cements are used, mixing in this
30 way can also be rather tiring for the theatre nurse and can, in some cases, lead to muscle fatigue and strain.

 A variety of systems is now available to simplify and improve the mixing of bone cement and to overcome the problems mentioned above. Many of these include the
35 application of a vacuum to a sealed mixing chamber which removes air from the mixture and avoids weak spots. This results in a greatly improved cement.

One such mixing device is the bowl mixer forming the subject of European Patent No. 0616552. This system is preferred by many users as it is small and convenient to use and the mixing action is similar to that carried out in the above described manual bowl mixing technique and is one with which nurses are generally familiar.

Another mixing system is described in European Patent No. 0744991. In this arrangement, the cement is mixed in a cylindrical mixing chamber. The mixing mechanism comprises paddles rotatably mounted within the chamber. The paddles are rotated around the chamber by means of a 'barley twist' mechanism so that the user merely has to push the handle up and down, to cause rotation of the paddle. Furthermore, once the cement is mixed, this system can be converted into a syringe type dispenser by addition of a nozzle and plunger. There is thus no need to remove the mixed cement from the mixing chamber and transfer it to a dispenser.

Other similar mixing arrangements are known.

In all of these systems, the cement components need to be put into the mixing chamber. Generally, the nurse is provided with the cement powder, in a bag, and monomer ampoule. These are opened by the nurse, manually, and are introduced into the mixing chamber or bowl by means of funnels.

One problem is that when cutting open the cement powder bag and inserting the powder via the funnel, there is a certain degree of wastage due to spillage and cement clinging to the funnel. Furthermore, the opening and pouring of the cement powder caused a powder cloud which, within the regulated confines of the operating theatre, is unpleasant and may even have adverse effects on the theatre personnel.

These problems become more acute when time is very short and the mixing must be done extremely quickly, or with inexperienced theatre personnel.

One solution which has been considered is to

provide a pre-filled mixing apparatus, wherein the disposable mixer, for example a bowl mixer or syringe mixer as described above, is supplied already containing the cement powder in the mixing chamber. This generally makes things much easier for the theatre nurse when needing to mix the cement quickly during an operation.

However, tests have shown that if the cement powder is housed within the mixing chamber or bowl and contained therein by means of a cap, the powder moves about, particularly during transportation, and covers the entire internal surface area of the mixing chamber and the lid. When the mixing is carried out, with the introduction of the monomer, unmixed powder remains at the top of the mixing vessel due to the monomer not wetting all of the walled surface, and the mixing paddle not reaching the very fine layer of powder on the walls and at the top of the chamber. Thus, powder is wasted and 'dry' spots occur, resulting in brittle cement which can have adverse consequences.

The aim of the present invention is to provide a pre-filled orthopaedic cement mixing apparatus in which the above mentioned problems are overcome.

According to one aspect of the present invention, there is provided an apparatus for containing and mixing orthopaedic cement, the apparatus containing an outer housing defining a mixing chamber and an inner housing containing the cement prior to mixing, wherein the inner housing is removable from the outer housing such that the cement remains in the mixing chamber.

In accordance with another aspect of the invention, there is provided a method of providing and mixing of orthopaedic cement comprising sealing said cement in an inner housing; disposing said inner housing within an outer housing which defines a mixing chamber; removing the inner housing, leaving the cement in the mixing chamber for mixing.

The present invention may be incorporated into any

known cement mixing arrangements including the bowl mixer and syringe mixer described above. It may also be incorporated in mixing bowls where the mixing is carried out simply using a spatula etc.

5 The inner housing may be removable from the outer housing in any way, for example it may be in the form of a bag which is merely lifted out by the user, which opens on removal to drop the cement powder into the mixing chamber. In the most preferred embodiment,
10 however, the inner housing is attached to or formed integrally with a lid provided on the container. The inner housing and the lid may, for example, be attached to each other by a snap fit arrangement or, indeed, by any other means of attachment. Thus, when the cement is
15 to be mixed, the lid is removed by the user and as the lid is removed, it takes with it the inner housing.

 To provide a secure container during transportation etc., the lid is preferably attached to the outer housing by means of a screw thread. Seals may also be
20 provided.

 The inner housing may be made of any materials suitable for containing the cement powder. Preferably, the material of which the inner housing is made is less rigid than that of the outer housing. This allows the
25 inner housing to be compressed against the outer housing to provide a good seal at the open end of the inner housing.

 It is important that, prior to removal of the inner housing, the cement is securely contained within the
30 housing and, therefore, the 'open' end of the inner housing should form a seal with the outer housing or should be closed after filling.

 Thus, in one embodiment, not shown, the inner housing has an open end into which the cement is
35 inserted. This open end is then closed by any suitable means and the inner housing is placed within the outer housing in such a manner that when the inner housing is

removed from the outer housing, the inner housing is opened or ruptured allowing the cement to fall out into the inner housing.

5 In the most preferred arrangement, the inner housing, at the open end, is provided with a feather seal edge which provides a seal against the base or lower part of the outer housing.

Preferred embodiments of the invention will now be described, by way of example only, with reference to the
10 accompanying drawings.

Fig. 1 shows a cross-section of a mixing system according to the present invention.

Figs. 2A-2D show the different stages of inserting and mixing the cement using the apparatus shown in Fig.
15 1.

Fig. 3 shows an alternative embodiment of the present invention.

The embodiment shown in Fig. 1 uses a mixing system such as described in EP 0744991 . This comprises
20 a cylindrical mixing chamber, in which is arranged a mixing paddle (not shown), rotated by means of a handle connected thereto by a 'barley twist' rod and gear mechanism. The paddle is rotated around the mixing chamber by a pushing and pulling action on the handle.
25 Vacuum is applied to the chamber during the mixing. Once the cement is mixed, the cap and mixing mechanism are removed and replaced by a nozzle. A plunger is applied to the other end of the mixing chamber and is pushed through the chamber, by means of, e. g., a
30 mastic-type gun to eject the mixed cement through the nozzle.

This mixing system is modified by the present invention and is provided as a pre-filled system.

Thus, the cement is provided in an inner housing 2
35 which is located in the outer, mixing chamber housing 3.

The inner housing, containing the cement 4, is attached to the cap 5 of the mixing chamber by a snap

fit arrangement 6. This creates a seal through which the cement powder cannot pass.

Fig. 2A shows how the cement is inserted into the inner housing, via the open end 7 of the housing.

5 The outer housing 3 incorporating the piston and base 8 is then fitted over the cement containing inner housing as shown in Fig. 2D.

10 Guide lips 9 may be provided on the outer surface of the inner housing to assist in the correct positioning of the outer housing relative to the inner housing.

15 The outer housing is then secured to the cap, by means of a screw thread 10, as shown in Fig. 2C. The open end of the inner housing, containing the cement, is provided with a seal 11, preferably a feather seal, which fully seals to the piston part of the outer housing to secure the cement powder within the inner housing. This results in a fully sealed packaged container, containing the cement powder within the inner housing, ready for use. The whole device is then packaged and sterilised for use.

20 A breather pad (not shown) may be provided on the cap so as to allow gas circulation to the cement.

25 As shown in Fig. 2D, when the cement is to be mixed, the user unscrews the cap 5 from the outer housing 2 and lifts away the cap and the inner housing 3 connected thereto. As the inner housing is lifted away from the base of the outer housing, the cement powder 4 drops out of the inner housing into the mixing chamber 1. The cap and inner housing are then discarded and the standard mixing procedure for this type of mixing arrangement is carried out.

30 A similar procedure is used in relation to other mixing arrangements such as the bowl mixer 12 shown in Fig. 3. This may be a bowl as described in EP 0616552. The principle is essentially the same. An inner housing 3', containing the cement powder 4', is attached to the

lid 5' of the bowl at one end and is sealed 11' to the base of the bowl or the sides of the bowl near its base by means of e. g. a feather seal. In use, the lid 5' and attached inner housing 3' are removed, such that the cement powder 4' drops out of the inner housing into the mixing chamber 1' and mixing is carried out in the usual way.

It is preferable that the inner housing is made of a material which is less rigid than the outer housing. This allows the feather seal edge of the inner housing to be compressed unto the outer housing to provide a secure seal for the cement powder.

In the preferred syringe type arrangement, the inner housing is designed to hold up to 80g of cement powder, i. e. a double mix of cement. In the case of the bowl mixer, preferably, the inner housing can hold up to 120g, i. e. a triple mix of cement.

Because the cement powder is contained within the inner housing until it is to be mixed, and is then dropped out of the housing only into the bottom of the mixing chamber, no cement clings to the upper outer walls of the mixing chamber and so practically all of the cement can be thoroughly mixed, producing a high quality mixed orthopaedic cement.

CLAIMS

1. An apparatus for containing and mixing orthopaedic cement, the apparatus containing an outer housing defining a mixing chamber and an inner housing containing the cement prior to mixing, wherein the inner housing is removable from the outer housing such that the cement remains in the mixing chamber.
2. An apparatus as claimed in claim 1 wherein the outer housing is provided with a cap and wherein the inner housing is attached to said cap such that the cap and inner housing can be removed from the outer housing together.
3. An apparatus as claimed in claim 2 wherein the cap is attached to the outer housing by means of a screw thread.
4. An apparatus as claimed in claim 2 or 3 wherein the inner housing is attached to the cap by means of a snap fit arrangement.
5. An apparatus as claimed in any preceding claim, wherein said inner housing is provided with a feather tip seal for sealing against said outer housing.
6. An apparatus as claimed in any preceding claim wherein said inner housing is less rigid than said outer housing.
7. An apparatus as claimed in any preceding claim wherein said outer housing is in the form of a cylindrical mixing chamber adapted to be provided with a mixing mechanism comprising a blade arrangement rotatable around said chamber.
8. An apparatus as claimed in any preceding claim

wherein said outer housing is in the form of a bowl shaped mixing chamber adapted to be provided with a mixing mechanism comprising a blade arrangement rotatable around said chamber.

5


9. An apparatus as claimed in any preceding claim, further comprising means allowing gas to circulate around the cement contained in the inner housing.

10

10. A method of providing and mixing of orthopaedic cement comprising sealing said cement in an inner housing; disposing said inner housing within an outer housing which defines a mixing chamber; removing the inner housing, leaving the cement in the mixing chamber for mixing.

15

1/3



2/3

FIG 2D




FIG 2C




FIG 2B





FIG 2A



3/3




FIG 3

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
1 February 2001 (01.02.2001)


PCT

(10) International Publication Number
WO 01/06963 A3

- (51) International Patent Classification⁷: A61F 2/46, B01F 13/00
- (21) International Application Number: PCT/EP00/07204
- (22) International Filing Date: 26 July 2000 (26.07.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
9917624.0 27 July 1999 (27.07.1999) GB
- (71) Applicant (for all designated States except US): SUMMIT MEDICAL LTD. [GB/GB]; Industrial Park, Bourton-on-the-Water, Gloucestershire GL54 2HQ (GB).
- (72) Inventors; and
(75) Inventors/Applicants (for US only): FOSTER, David [GB/GB]; 49 Oxford Street, Woodstock OX20 1TJ (GB). JONES, Anthony [GB/GB]; 22, Bourton Road, Abingdon, Oxon OX14 1LF (GB). EVELEIGH, Rebecca [GB/GB]; 10 Stow Court, Gloucester Road, Cheltenham GL51 6ND (GB).
- (74) Agent: HUGHES, Andrea; Frank B. Dehn & Co., 179 Queen Victoria Street, London EC4V 4EL (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KR (utility model), KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD,

[Continued on next page]

(54) Title: ORTHOPAEDIC BONE CEMENT MIXING CONTAINER



(57) Abstract: The invention discloses a pre-filled orthopaedic cement container in which the cement (4) can also be mixed. The container comprises an outer housing (3) defining the mixing chamber (1) and an inner housing (2) containing the cement (4) prior to mixing. The inner housing (2) is removable, prior to mixing, in such a way that the cement powder (4) remains in the mixing chamber (1), for mixing.

WO 01/06963 A3



SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

Published:

— *With international search report.*

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(88) Date of publication of the international search report:
26 April 2001

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

INTERNATIONAL SEARCH REPORT

Invention: Application No

PCT/EP 00/07204

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61F2/46 B01F13/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 397 589 A (WOLFF & KAABER) 14 November 1990 (1990-11-14)	1,5,10
A	the whole document	2,7
Y	WO 87 05492 A (DRAENERT) 24 September 1987 (1987-09-24)	1,5,10
A	the whole document	7
A	US 4 015 945 A (FRANKEL) 5 April 1977 (1977-04-05)	1,8-10
A	the whole document	3,4,7,8
A	EP 0 178 658 A (MIT AB) 23 April 1986 (1986-04-23)	
	the whole document	
	--- -/--	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- * & * document member of the same patent family

Date of the actual completion of the international search

12 January 2001

Date of mailing of the international search report

18/01/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Klein, C

INTERNATIONAL SEARCH REPORT

Inventor's Application No.

PCT/EP 00/07204

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 95 22402 A (SUMMIT MEDICAL) 24 August 1995 (1995-08-24) cited in the application the whole document	7
A	WO 97 18031 A (CEMVAC SYSTEM) 22 May 1997 (1997-05-22) the whole document	7,9
A	US 4 185 072 A (PUDERBAUGH) 22 January 1980 (1980-01-22) the whole document	8,9
A	DE 36 40 279 A (MIT AB) 25 June 1987 (1987-06-25)	
A	WO 93 10892 A (SUMMIT MEDICAL) 10 June 1993 (1993-06-10) cited in the application	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 00/07204

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 397589 A	14-11-1990	AT 101811 T	15-03-1994
		AU 627324 B	20-08-1992
		AU 5739690 A	29-11-1990
		BR 9007367 A	03-03-1992
		CA 2064215 A	13-11-1990
		DE 69006771 D	31-03-1994
		DE 69006771 T	23-06-1994
		WO 9013355 A	15-11-1990
		DK 397589 T	27-06-1994
		ES 2049959 T	01-05-1994
		HU 208927 B	28-02-1994
		IL 94311 A	31-07-1994
		JP 4507366 T	24-12-1992
		KR 9501384 B	18-02-1995
		NO 914408 A	11-11-1991
		NZ 233584 A	26-05-1992
		PT 94012 A	28-02-1992
		US 5114240 A	19-05-1992
WO 8705492 A	24-09-1987	DE 3609672 A	24-09-1987
		AT 65689 T	15-08-1991
		AT 89993 T	15-06-1993
		AT 180656 T	15-06-1999
		DE 3752279 D	08-07-1999
		DE 3771820 D	05-09-1991
		DE 3786049 D	08-07-1993
		WO 8705491 A	24-09-1987
		EP 0262185 A	06-04-1988
		EP 0261182 A	30-03-1988
		EP 0493363 A	01-07-1992
		JP 7075613 B	16-08-1995
		JP 63502882 T	27-10-1988
		JP 2537530 B	25-09-1996
		JP 63502883 T	27-10-1988
		US 4966601 A	30-10-1990
		US 5015101 A	14-05-1991
US 4015945 A	05-04-1977	CA 1045113 A	26-12-1978
EP 178658 A	23-04-1986	SE 450545 B	06-07-1987
		AT 88077 T	15-04-1993
		AT 148331 T	15-02-1997
		DE 3587262 A	19-05-1993
		DE 3587262 T	25-11-1993
		DE 3588140 D	13-03-1997
		DE 3588140 T	21-08-1997
		EP 0528447 A	24-02-1993
		JP 1841991 C	12-05-1994
		JP 5052222 B	04-08-1993
		JP 61098261 A	16-05-1986
		SE 8405232 A	20-04-1986
		US 4721390 A	26-01-1988
WO 9522402 A	24-08-1995	AU 679335 B	26-06-1997
		AU 1713195 A	04-09-1995
		CA 2183660 A	24-08-1995
		DE 69505356 D	19-11-1998
		DE 69505356 T	06-05-1999

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 00/07204

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9522402 A		EP 0744991 A	04-12-1996
		ES 2123958 T	16-01-1999
		GB 2301045 A,B	27-11-1996
		JP 9511438 T	18-11-1997
		US 5842785 A	01-12-1998
WO 9718031 A	22-05-1997	AU 7659896 A	05-06-1997
		EP 1005900 A	07-06-2000
		EP 1016452 A	05-07-2000
		EP 1005901 A	07-06-2000
		EP 0861117 A	02-09-1998
US 4185072 A	22-01-1980	CA 1100940 A	12-05-1981
DE 3640279 A	25-06-1987	SE 447785 B	15-12-1986
		US 4758096 A	19-07-1988
WO 9310892 A	10-06-1993	AU 656446 B	02-02-1995
		AU 3090092 A	28-06-1993
		CA 2125165 A	10-06-1993
		DE 69221636 D	18-09-1997
		DE 69221636 T	18-12-1997
		EP 0616552 A	28-09-1994
		ES 2107556 T	01-12-1997
		GB 2276560 A,B	05-10-1994
		JP 7506288 T	13-07-1995
		US 5494349 A	27-02-1996